## **950** Gas Log Flame Fire





# Spread the warmth and comfort with a 950 Gas Log Fire.

Rinnai are proud to introduce the latest addition to our comprehensive range of Gas Log Flame Fires, the 950. With a variety of fascia options, burn media and flueing, you can design your own look to suit your home and décor. Combining a modern, elegant appearance with incredible efficiency, this heater is a must-have addition to bring warmth to your home. Perfect for large spaces and open plan living, the 950 will introduce an ambience that is unforgettable. Settle in beside a flickering flame this winter with the new Rinnai 950.

#### **Features and Benefits**

- > High 5.5 star efficiency rating\*
- > Heat output up to 8.13 kW\*\*, perfect for open plan living and large areas
- > Choose from 2 burn media options Australian Eucalyptus Log Set or Pebbles
- > Choose from 2 fascia options, stainless steel on black or black on black.
- > Safety mesh guard to give peace of mind and eliminate reflections
- > Thermostatically controlled
- > Flexible power flueing



Stainless Steel on Black with Pebbles



Black on Black with Australian Eucalyptus Logs

\*When installed using extended flue \*\*When using short flue

Specifications															
	Visual Dimensions* (mm)		Inbuilt Cavity Dimensions (mm)		Efficiency Star Rating AS4553	Colour	Inp	ias kW put - Out- Wh put		'Heats up to' Capacity (m²)					
	Height	Width	Depth	Height	Width	Depth			Low	High		Very Cold	Cold	Cool	Mild
950	660	1070	25	570	965	570	5.5*	Stainless Steel on Black, Black on Black	10	34	8.13**	69	82	110	125

.....


.......

.........

......

••

### **Flueing Options**



Please note: \*Suitable for direct, vertical or horizontal flueing. 500mm required for down and out applications. See installation instructions for full details.

Warranty	Heat Exchanger	Fan	All Other Parts	Free Labour				
Domestic Use	10 years pro rata <sup>(1)</sup>	2 years	1 year	1 year				
Commercial Use	1 year on all parts and labour							

Please note: For full definitions of Domestic and Commercial use, along with other conditions and exclusions, please refer to **www.rinnai.com.au**<sup>(1)</sup> Full replacement cost in the 1st year, reducing 10% per year thereafter. 240V power is required on all models. A power cord and plug is fitted. If
hardwiring is required, consult a licensed electrician. <sup>#</sup>Dimensions are subject to production tolerances and may vary slightly from those given. Rinnai
Australia Pty Ltd reserves the right to make modifications and change specifications without notice. # Refers to the visual appearance of the appliance
external to the wall for inbuilt models.

Refer to our online heater selector to find the right heater to suit your needs. Download our "Rinnai Fire" app to visualise how a Rinnai Fireplace could look in your home.

**Dealer Details:** 

#### Rinnai Australia Pty Ltd

ABN 74 005 138 769

10-11 Walker Street, Braeside, Victoria 3195

For further information visit www.rinnai.com.au or call 1300 555 545

